
10
16
ENTITY METADATA (ID, ETC.)
22
ATTRIBUTES
24
20
RELATIONAL DATA BASE
26
28
ENTITY TABLE
CLASS-TABLE MAPPING
18
DATA ACCESS SYSTEM (ENTITY PERSISTENCE)
TRANSLATOR 13
12
14
RELATIONAL DATA STORE MECHANISM
REQUEST e.g., QUERY
30
RESULT SET
36
RELATIONAL DATABASE REQUEST e.g., QUERY
32
RELATIONAL DATABASE RESULTS
34

FIG. 1


100
SYSTEM MEMORY
130
(ROM) 131
BIOS 133
(RAM) 132
OPERATING SYSTEM 134
APPLICATION PROGRAMS 135
OTHER PROGRAM MODULES 136
PROGRAM DATA 137
PROCESSING UNIT
120
VIDEO INTERFACE
190
195
OUTPUT PERIPHERAL INTERFACE
121
MONITOR 191
PRINTER 196
SPEAKERS 197
140
150
160
170
NON-REMOVABLE NON-VOL. MEMORY INTERFACE
REMOVABLE NON-VOL. MEMORY INTERFACE
USER INPUT INTERFACE
NETWORK INTERFACE
LOCAL AREA NETWORK
171
110
141
151
155
152
156
WIDE AREA NETWORK
MODEM 172
173
KEYBOARD 162
POINTING DEVICE 161
MICROPHONE 163
REMOTE COMPUTER 180
REMOTE APPLICATION PROGRAMS 185
OPERATING SYSTEM 144
APPLICATION PROGRAMS 145
OTHER PROGRAM MODULES 146
PROGRAM DATA 147

FIG. 2


200
214
Criteria
-entityContextList
1
EntityAliasList
202
-joinList
0..1
JoinList
216
-whereExpression
0..1
WhereExpression
218
CriteriaWithOrderBy
-orderByList
0..1
OrderByList
206
220
EntityCriteria
CollectionCriteria
AdHocQueryCriteria
-selectList
0..1
SelectList
204
208
210
222
-entityCollectionType
1
EntityCollectionType
224
EntitySetUpdateCriteria
-propertyAssignment
1
PropertyAssignmentList
212
226

FIG. 3



FIG. 4A


420
428
Expression
-expression
1
424
BoolExpression
1
1
-expression
1
-left
-right
442
BoolOperator
440
BinaryBoolOperator
RelationalOperator
UnaryBoolOperator
436
438
-right
-left
1
1
426
454
ArithmeticExpression
ArithmeticFunction
1
-right
1
-expression
1
1
-left
444
Terminal
434
ArithmeticOperator
450
DataMember
Field
Property
Literal
UnaryArithmeticOperator
BinaryArithmeticOperator
448
446
452
430
432

FIG. 4B

FIG. 4C


And: BinaryBoolOperator
OperatorType = And
left
right
And: BinaryBoolOperator
OperatorType = And
Equal: RelationalOperator
OperatorType = Equals
left
right
left
right
GE: RelationalOperator
OperatorType = GreaterThanOrEqual
Greater: RelationalOperator
OperatorType = GreaterThan
State: Literal
ValueObject = "ND"
State: Property
Name = "Dealer.State"
left
right
left
right
Cost : Property
Name = "CarItem.Cost"
Cost : Literal
ValueObject = 15000m
Minus : BinaryArithmeticOperator
OperatorType = Minus
Discounts : Literal
ValueObject = 1000000m
left
right
Sales : Property
Name = "CarItem.Sales"
Discounts : Property
Name = "CarItem.Discounts"

FIG. 5


500
DEALER
22
504
METADATA
ID
CITY
506
STATE
508
512
DEALER_TABLE
CLASS-TABLE
MAPPING DEALER
514
502
CAR ITEM
22
516
METADATA
ID
518
COST
VIN
CAR_TABLE ITEM
CLASS-TABLE
MAPPING
CAR ITEM
526
520
524

```
class CarItem {            // these properties are mapped to a database table
        public string ID
        public string Vin;
        public string Color;
        public decimal Cost;
        ... many others omitted ...
}
class Dealer {             // these properties are mapped to a different database table
        public string ID;
        public string City;
        public string State;
        ... many others omitted ...
}

AdHocQueryCriteria  adHocCriteria = Criteria.AdHocQueryCriteria(
        Criteria.EntityAliases(    // describes the objects involved in the query
                Criteria.EntityAlias(itemParentKey, typeof(CarItem))
                Criteria.EntityAlias(dealerParentKey, typeof(Dealer)) ),
        Criteria.JoinList(
                        /* entity to entity join */
                Criteria.InnerJoin("CarItem", "Dealer",
                (Property)"CarItem.DealerID" == (Property)"Dealer.ID")),
        Criteria.Select(           // the specific properties to retrieve
                (Property)"CarItem.ID",  // references the field in the above class
                (Property)"CarItem.Vin",
                (Property)"CarItem.Cost",
                (Property)"Dealer.ID",
                (Property)"Dealer.City",
                (Property)"Dealer.State"),
        Criteria.Where(
                (Property)"CarItem.Make" == "Geo" &&
                (Property)"CarItem.Model" == "Prism" &&
                (Property)"Dealer.State" == "ND")
        Criteria.OrderBy((Property)"Dealer.Cost"));
```

FIG. 6

FIG. 7


530
RECEIVE QUERY
532
READ MAP RELATED TO ENTITIES LISTED IN QUERY
534
IDENTIFY COLUMNS REQUIRED TO FILL REQUESTED PROPERTIES
536
GENERATE RELATIONAL DATABASE QUERY TO RETRIEVE ONLY THOSE COLUMNS
538
TRANSFORM RESULTS INTO DESIRED RESULT SET
540
ATTACH TO RESULT SET INFORMATION NECESSARY TO IDENTIFY ENTITIES CONTAINING ANY PROPERTY IN THE RESULT SET


RECEIVE A JOIN EXPRESSION
800
GENERATE PARSE TREE
802
TRAVERSE PARSE TREE IN POSTFIX ORDER TO BUILD DAG FOR IT
804
TRAVERSE DAG IN ORDER OF DEPTH USING JOIN TYPE AND JOIN EXPRESSION TO EMIT SQL JOIN STATEMENT
806

FIG. 8


808
OR
11
AND
7
==
3
>
6
==
10
1
2
4
5
8
9
Order.Customer.PreferredEmployee.City
Item.Supplier.City
Order.OrderDate
Item.DiscontinuedDate
Order.Customer.City
ItemWarehouse.City

FIG. 9

FIG. 10A


START
D
820
PROPERTY PATH ENCOUNTERED?
NO
YES
CREATE AN EMPTY DAG
822
SELECT AN ENTITY FROM PATH ON THE CURRENT SIDE OF THE OPERATOR
824
826
NO
FIRST ENTITY ON THE CURRENT SIDE OF OPERATOR ?
YES
828
LEFT
LEFT OR RIGHT SIDE OF THE OPERATOR ?
RIGHT
830
CREATE STARTING NODE IN DAG AS FIRST (LEFT-MOST) ENTITY IN PATH
832
CREATE STARTING NODE IN DAG AS LAST (RIGHT-MOST) ENTITY PATH
836
CREATE NODE WITH JOIN TYPE INNER, LINK IT TO PREVIOUS NODE IN THE PATH, AND SET THE EXPRESSION DESCRIBING ITS RELATIONSHIP TO PREVIOUS ENTITY NODE
838
MORE ENTITY NODES IN THIS PROPERTY PATH?
YES
NO
PUSH PROPERTY FROM PATH ONTO PROPERTY STACK AND PUSH THE DAG ON THE DAG STACK
850
A


A
870
RELATIONAL OPERATOR ENCOUNTERED ?
NO
YES
872
POP DAGS CORRESPONDING TO BOTH SIDES OF OP FROM STACK
874
CONNECT LAST NODE FROM LEFT SIDE DAG TO FIRST NODE FROM RIGHT SIDE DAG
876
SET JOIN TYPE OF CONNECTED NODE TO THAT SPECIFIED
878
SET JOIN EXPRESSION TO <LEFT PROPERTY> <OPERATOR> <RIGHT PROPERTY> AND PUSH DAGS ONTO STACK
880
MATHEMATICAL OPERATOR ENCOUNTERED?
NO
YES
881
POP AND CONNECT DAGS CORRESPONDING TO BOTH SIDES OF OP FROM STACK AND PUSH BACK ON STACK
882
POP THE PROPERTIES FROM BOTH SIDES OF THE OPERATOR FROM STACK
884
SET PROPERTY TO <LEFT PROPERTY> <OP> <RIGHT PROPERTY>
886
PUT NEW PROPERTY BACK ON PROPERTY STACK
890
UNARY OPERATOR ENCOUNTERED?
NO
C
YES
B

FIG. 10B

FIG. 10C-1


B
894
POP PROPERTY FROM PROPERTY STACK
896
PREPEND OPERATOR TO PROPERTY
898
PUSH PROPERTY BACK ONTO STACK
C
906
BOOLEAN OPERATOR ENCOUNTERED ?
NO
E
940
MORE TO PROCESS IN PARSE TREE
YES
942
MOVE TO NEXT POSITION IN PARSE TREE
D
NO
944
RETURN
YES
F

FIG. 10C-2


F
E
924
POP THE TWO DAGS CORRESPONDING TO THE BOOLEAN OP OFF THE STACK
926
DESIGNATE ONE DAG AS MERGING DAG AND ONE AS MERGED DAG
928
SCAN DAGS FOR A MATCHING NODE (ONE WITH SAME QUALIFIER)
930
IF MATCHING NODES ARE FOUND WITH THE SAME JOIN EXPRESSION, DO NOT MERGE THE NODES
932
IF MATCHING NODES ARE FOUND WITH DIFFERENT JOIN EXPRESSIONS, MERGE THE NODES AND MERGE THE JOIN EXPRESSIONS WITH THE BOOLEAN OPERATOR <MERGING JOIN EXPRESSION> <OP> <MERGED JOIN EXPRESSION>
934
IF NO MATCHING NODE IS FOUND, CREATE A LINK TO THE NODE HAVING A QUALIFIER ONE LEVEL UP FROM THE CURRENT QUALIFIER
936
UPDATE DEPTH OF EACH NODE
938
PUSH MERGED DAG BACK ONTO DAG STACK



FIG. 11A



FIG. 11B



FIG. 11C



FIG. 11D



FIG. 11E



FIG. 11F



FIG. 11G



FIG. 12


Order.Customer.PreferredEmployee.City == Item.Supplier.City
920
O
C Order.CustomerID = Customer.ID
E Customer.PreferredEmployeeID = Employee.ID
S Employee.City = Supplier.City
I Supplier.ID = Item.SupplierID
AND
Order.OrderDate > Item.DiscontinuedDate
922
O
I Order.OrderDate > Item.DiscontinuedDate
(Order.Customer.PreferredEmployee.City == Item.Supplier.City)
AND
(Order.OrderDate > Item.DiscontinuedDate)
Order.Customer.City == Item.Warehouse.City
952
O
C Order.CustomerID = Customer.ID
W Customer.City = Warehouse.City
I Warehouse.ID = Item.WarehouseID
OR
950
O
C Order.CustomerID = Customer.ID
E Customer.PreferredEmployeeID = Employee.ID
S Employee.City = Supplier.City
I (Supplier.ID = Item.SupplierID)
AND
(Order.OrderDate > Item.DiscontinuedDate)
((Order.Customer.PreferredEmployee.City == Item.Supplier.City) AND (Order.OrderDate > Item.DiscontinuedDate))
OR
(Order.Customer.City == Item.Warehouse.City)
954
O
C Order.CustomerID = Customer.ID
W Customer.City = Warehouse.City
E Customer.PreferredEmployeeID = Employee.ID
S Employee.City = Supplier.City
I ((Supplier.ID = Item.SupplierID) AND (Order.OrderDate > Item.DiscontinuedDate)) OR
(Warehouse.ID = Item.WarehouseID)

FIG. 13


SalesDoc
SalesDocTbl
Order
Invoice
Quote
OrderTbl
InvoiceTbl
QuoteTbl

FIG. 14


SalesDoc
Order
Invoice
Quote
OrderTbl
InvoiceTbl
QuoteTbl

FIG. 15



FIG. 16


Class 1
TABLE A
Class 2
Class 3
TABLE D
TABLE B
Class 6
Class 7
Class 4
Class 5
TABLE E
TABLE F
Class 8
Class 9
TABLE C

FIG. 17


RECEIVE OBJECT QUERY
1050
CREATE INITIAL TREE WITH NODES CORRESPONDING 1-1 WITH CLASSES IN INHERITANCE HIERARCHY
1052
GROUP ENTITIES SHARING THE SAME TABLE IN THE INHERITANCE HIERARCHY
1054
PROCESS NODES OF TREE TO BUILD A QUERY STATEMENT FOR EACH CONCRETE ENTITY AND SAVE IT ON A STATEMENT LIST
1072
IF >1 STATEMENT, CONVERT THEM TO ONE STATEMENT BY PLACING THE UNION OPERATOR BETWEEN THEM
1074
ORDER AND EXECUTE THE STATEMENT
1076
USE TYPE INDICATOR TO DETERMINE WHICH ENTITY TYPE TO CREATE DURING MATERIALIZATION
1078

FIG. 18


1060
CURRENT NODE HAVE SAME TABLE AS ANY CHILD ?
NO
YES
1062
MERGE CHILD INTO PARENT
1064
ANY CHILDREN OF CURRENT NODE SHARE THE SAME TABLE?
NO
YES
1066
MERGE CHILDREN
1068
DID MERGES CHANGE ANSWERS IN STEP 1060 OR 1064 ?
YES
NO
1070
ADD THE COLUMNS FOR EACH ENTITY IN THIS GROUP TO LIST OF SELECTED COLUMNS

FIG. 18-1


1100
>1 QUERY?
NO
1102
OMIT SYNTHESIZED TYPE INDICATOR COLUMN
YES
1104
SPECIFY QUERY NUMBER AS A LITERAL FOR SYNTHESIZED TYPE INDICATOR
1106
ADD THE LIST OF COLUMNS SELECTED TO THE SELECT LIST
1108
ADD TABLE FROM THE LEAST DERIVED ENTITY TO THE FROM CLAUSE
1110
ADD A JOIN BETWEEN EACH OF THE ENTITY GROUP ANCESTORS THAT HAVE A TABLE
1112
ADD RESTRICTIONS PROVIDED BY THE USER TO THE WHERE CLAUSE
1114
SEPARATE THE TYPE INDICATOR RESTRICTION FOR EACH CONCRETE ENTITY WITH AN OR, PARENTHESIZE THE RESULT AND ADD TO THE WHERE CLAUSE
1116
SAVE THE COMPLETED STATEMENT ON A STATEMENT LIST

FIG. 18-2


Entity Group 1
Class1
TableA
Entity Group 2
Class2
TableB
Class4
Class5
Entity Group 3
Class8
Class9
TableC
Entity Group 4
Class3
TableD
Entity Group 5
Class6
TableE
Entity Group 6
Class7
TableB

FIG. 19


Class11
Class12
Class13
Class14
Class15
Class16
Class17
TableA
TableB

FIG. 20


Entity Group 1
Class11
Class12
Class13
Entity Group 3
Class14
Entity Group 2
Class15
Class16
Class17
TableA
TableB

FIG. 21


SELECT ENTITY
1120
ADD COLUMNS THAT REPRESENT THE KEY PROPERTIES
1122
INHERITANCE ENTITY OR COLLECTION ?
1124
NO
PERFORM PROPERTY COLUMN ADDING
1126
YES
IDENTIFY ALL ENTITIES FROM BASE-MOST ENTITY OF QUERY TO DESCENDANTS, ADD TYPE INDICATORS AND KEY COLUMNS
1128
PERFORM PROPERTY COLUMN ADDING FOR ENTITY'S DECLARED (NON-INHERITED) PROPERTIES
1130
RETURN

FIG. 22


SELECT PROPERTY OF ENTITY
1132
1134
PROPERTY REPRESENT ARRAY, STRUCTURE OR CLASS?
YES
1136
PERFORM PROPERTY COLUMN ADDING FOR EACH ARRAY, STRUCTURE OR CLASS
A
NO
1138
PROPERTY REPRESENT A JOINED CHILD ENTITY?
YES
1140
BEGIN CONSTRUCTION OF SELECTED LIST FOR CHILD ENTITY
A
NO
1142
PROPERTY REPRESENT A NON-JOINED CHILD THAT HAS PROPERTIES IN ITS ENTITY KEY?
YES
1144
ADD FOREIGN KEY COLUMNS FOR THE CHILD
A
NO
1146
PROPERTY REPRESENT NON-JOINED CHILD ENTITY COLLECTION?
YES
A
NO
1148
PROPERTY REPRESENT AN ASSOCIATION?
YES
1150
ADD FOREIGN KEY COLUMNS FOR THE ASSOCIATED ENTITY
NO
1152
ADD COLUMN
YES
MORE PROPERTIES?
1154
A
NO
RETURN

FIG. 23


depth 0
Order
0..*
1
Customer
OrderDetail
ShippingPrefs
depth 1
InStock
BackOrdered
1
1
0..*
SubstitutionPrefs
CancelationPrefs
Items
depth 2
2
2

FIG. 24



FIG. 25

```
CLASS ORDER {
        ID
        DATE
        OrderDDetails
        Collection
        Tax
        Subtotal
        Total
        ShippingPrefs
}
```

FIG. 25A

```
CLASS OrderDetail {
        ID
        SubstitutionP
        refs
        Items
        Collection
        Misc
}
```

FIG. 25B


212
1002
class Order { // these fields are mapped to a database table public string ID;
...
public DetailCollection Details; // contains Detail objectspublic decimal Total;}
class Detail { // these fields are mapped to a database table
1004
public long SequenceNumber;
public Item Item;
public decimal PricePerUnit;
public decimal Quantity;
public decimal Price; // PricePerUnit * Quantity}
1006
// the user describes the set operation they want performed in terms of objects
Criteria.EntitySetUpdateCriteria(Criteria.EntityAlias(parentKey, typeof(Order))),
1010
// update the order// set Order.Total to the sum of each of the line item's price
Criteria.PropertyAssignments(Criteria.Assignment((Property)"Order.Total",
Criteria.Sum((Property)"Order.Details[].Price"))
1008
// indicates which orders to update; only those with detail price > 300
Criteria.Where((Property)"Order.OrderDetails[].Price" > 300),)

FIG. 26

FIG. 27


1020
RECEIVE REQUEST
READ MAP RELATED TO ENTITIES LISTED IN REQUEST
1022
IDENTIFY COLUMNS REQUIRED TO FILL REQUESTED PROPERTIES
1024
GENERATE RELATIONAL DATABASE REQUEST TO PERFORM SET OPERATION
1026


1300
1308
1302
Order
ID
subtota
tax
freight
total
Address
ID
1310
1312
1314
OrderLine
ID
item
qty
OrderSerial
ID
1320
Company
ID
1322
1328
Enterprise
URL
Currency
ID
exchangeRate
1324
1306
Customer
ID
name
1316
Address
ID
1304
1318
n

FIG. 28


ORDERSERIAL
ENTITY
1314A
1420
<ID. FIELDS>
1424
ORDERSERIAL.KEY
1380A
ORDERLINE.KEY
1440
1422
<ID. FIELDS>
<ID. FIELDS>
SEE
FIG. 32
1426
TYPE
TYPE
1430

FIG. 29


1400
Enterprise
1402
Company A
1406
Order 1
1408
Order 2
1404
Company B
1406
Order 1
1408
Order 2

FIG. 30


1380A
1440
Enterprise.Key
URL = http://www.fido.com
Company.Key
ID = FIDO.COM
Order.Key
ID = ORD100
OrderLine.Key
ID = 10
OrderSerial.Key
ID = DD1432
Key for Company "FIDO.COM"
Key for Order "ORD100"
Key for OrderLine 10
Key for OrderSerial DD1432

FIG. 31


1544
URL
ENTERPRISE.KEY
<ID. FIELDS>
TYPE
COMPANY.KEY
<ID. FIELDS>
TYPE
ORDER.KEY
TYPE
ORDERLINE.KEY
TYPE
ORDERSERIAL.KEY

FIG. 32


1350
COMPANY_ID
1352
ORDER_ID
1354
ORDERLINE_ID
1356
SERIAL NO.
1358
OTHER COLUMNS

FIG. 33